

MR

Axial Incremental Magnetic Rings

VARIOUS SIZES AND MOUNTING OPTIONS

The robust RLS axial magnetic incremental rings consist of an elastoferrite layer and a stainless steel hub. The elasto-ferrite layer is magnetised with 2 mm long alternating magnetic poles, which form an incremental magnetic pattern.

A unique reference mark can also be added to the incremental magnetic pattern. Axial magnetic rings offer reliable solutions for high performance applications.

ROBUST DESIGN

EASY TO MOUNT



Features and benefits

- ► Non-contact technology
- ► Compatible with RLS LM and RLS RoLin family readheads
- ► High speed operation

- Easy mounting
- Different shaft diameters available
- Excellent resistance to dirt and dust
- Unique or periodic reference mark












General information

Axial incremental rings are compatible with RLS standard LM encoder family or the component-level RoLin readheads, which provide reliable operation due to their non-contact design. Incremental or analogue output types are available according to industry standards.

Various inner diameters are supported ranging from 12 mm to 71 mm. Axial magnetic rings can be installed with adhesive tape, fasteners or by gluing.

Selection guide



D:	0.0	-		Compatib			ility with readheads				
Ring	OD	ID	Н	LM10	LM13	LM15	RLB2	RLC2HD	RLC2IC	RLM2	
MR020C	19.5 ±0.1	12 H7	2 ±0.1	-	-	-	No Ri	No Ri	No Ri	No Ri	
MR024C	24 ±0.1	15 H7	2 ±0.1	-	-	-	No Ri	No Ri	No Ri	No Ri	
MR026C ID12	26 ±0.1	12 H7	2 ±0.1	No Ri	No Ri	-	No Ri	No Ri	No Ri	No Ri	
MR026C ID16	26 ±0.1	16 ±0.1	2 ±0.1	No Ri	No Ri	-	No Ri	No Ri	No Ri	No Ri	
MR034C	34 ±0.1	20.5 H7	2 ±0.1	-	-	-	No Ri	No Ri	No Ri	No Ri	
MR045C	45 ±0.1	28.5 H7	2 ±0.1	No Ri	No Ri	-	No Ri	No Ri	Ri	Ri	
MR049N	49 ±0.1	25 H7	2 ±0.1	No Ri	No Ri	-	No Ri	No Ri	Ri	Ri	
MR050C	50 ±0.1	40 ±0.02	2 ±0.1	No Ri	No Ri	-	No Ri	No Ri	Ri	Ri	
MR061C	61.3 ±0.1	51.3 H7	2 ±0.1	No Ri	No Ri	-	No Ri	No Ri	Ri	Ri	
MR080N	80 ±0.1	55 H7	2 ±0.1	No Ri	No Ri	-	No Ri	No Ri	Ri	Ri	
MR100S	100 ±0.1	71 H7	4 ±0.1	No Ri	No Ri	-	No Ri	No Ri	Ri	Ri	

Ri - Unique reference mark or only incremental track available No Ri - No reference mark option, only incremental track available

For readhead specifications see data sheets available at **RLS media center**.



Storage and handling

Storage temperature



CPE: -40 °C to 100 °C HNBR: -40 °C to 160 °C

Operating temperature




CPE: -40 °C to 100 °C HNBR: -40 °C to 160 °C

Humidity



Up to 100 % RH



The magnetic ring should not be exposed to magnetic field densities higher than 50 mT on its surface, as this can damage the ring.

Chemical resistance

The use of alcohol for cleaning is considered safe, but it is not allowed to immerse the ring in alcohol. Furthermore, the ring surface print and drawn reference mark may disappear if the ring is not carefully cleaned. For more information on chemical resistance **contact RLS**.

Test performed with	1	Compatibility
Ethanol	Technical, ≥ 95 %	~
Isopropanol	Technical, ≥ 95 %	✓
Cutting oil	Rezilol SCM BCL	✓
Brake fluid	DOT-4	✓
Grease	ISOFLEX® TOPAS NB 52	✓

The test samples were immersed in chemicals at 25 °C for four weeks according to standard ISO 175:2010. Changes in the mass and height of the elasto-ferrite layer were controlled during the test.

Packaging

Each magnetic ring is packed individually in an antistatic box.

Magnetic rings with VHB adhesive tape have 12 months shelf life and should be installed within this period.

Accuracy of linear encoder systems

The accuracy of the ring encoder measurement is influenced by **encoder-specific errors** and i**nstallation-dependent errors**. In order to evaluate the total accuracy, each of the significant errors must be considered. Fig. 1 shows a typical accuracy error plot with marked particular influences.

Encoder-specific errors

System error consists of a magnetisation error, crosstalk and SDE.

Dina	System error [°]	Dima	System error [°] Ring		System error [°]
Ring	Over the entire RH	Ring Over the entire RH		King	Over the entire RH
MR020C	±0.31	MR034C	±0.17	MR061C*	±0.09
MR024C	±0.25	MR045C	±0.13	MR080N	±0.07
MR026C* ID12	±0.23	MR049N	±0.11	MR100S	±0.05
MR026C ID16	±0.23	MR050C*	±0.11		

^{*} Significant installation error expected due to coarse inner diameter tolerance.

Magnetisation error

The magnetisation error is caused by imperfections in the elasto-ferrite material and possible deviations resulting from the magnetisation process.

The following factors influence the result:

- the magnetic inhomogeneity of the elasto-ferrite layer,
- the ring installation tolerances during the magnetisation process,
- the measurement uncertainty of the magnetisation system during manufacturing process
- the quality of the magnetisation system.

The magnetisation accuracy $\boldsymbol{A}_{\!\scriptscriptstyle M}$ can be calculated by the following formula:

$$A_{M} = \pm \frac{4.6}{D}$$

where D is the outer ring diameter in [mm].

Crosstalk

Crosstalk is an undesirable effect of reference mark magnetisation on the incremental track magnetisation, which leads to accuracy peaks. It depends on both the ride height and the lateral offset.

An example of crosstalk is shown in Fig. 2.

Fig. 1 to Fig. 4 are for representation purpose only.




Fig. 1. Typical accuracy error plot.

D [mm]	A _M [°]
20	±0.229
40	±0.115
60	±0.076




Fig. 2. Crosstalk representation. The crosstalk (Ri magnetisation) is circled.



Sub divisional error (SDE) or interpolation error

The sub divisional or interpolation error is a periodical accuracy error. It is influenced by the following factors:

- the length of poles,
- the homogeneity and cycle definition of magnetic poles,
- the sensing distance (ride height) of the installed readhead,
- the quality of the signal processing,
- the characteristics of the internal AMR sensor.

The SDE leads to speed ripples in applications where the encoder is used as speed feedback, e.g. in speed control loops. For axial rings, SDE is strongly influenced by ride height.

The maximum SDE at optimal sensing distance can be calculated by the following formula:

$$SDE = \pm \frac{0.58 \times K}{OD}$$

where:	OD (mm)	SDE (°)
SDE is Sub divisional error (°)	20	±0.029
OD is the outer ring diameter in (mm)	40	±0.014
K = 1 for magnetic rings with oouter diameter >30		10.014
K = 2 for magnetic rings with outer diameter <30	60	±0.009

Hysteresis

Hysteresis is the difference in result of measuring the same point when approached from different directions.

It is known that ferromagnetic materials maintain their magnetised state in response to external fields, trying to change their direction.

The hysteresis in encoder systems depends on the strength of the magnetic field. A stronger magnetic field leads to a smaller hysteresis and vice versa. Therefore the hysteresis is strongly influenced by the ride height at which the readhead is installed (Fig. 3).




Fig. 3. Hysteresis vs. ride height (for encoder systems with 2 mm pole length).

Installation-dependent errors

Installation and adjustment of the ring and the readhead, in addition to the given encoder-specific error, normally have a significant effect on the overall accuracy of a system. Of particular importance are the installation eccentricity and the effect of deformations resulting from the ring installation.

Installation eccentricity

Eccentricity can be caused by the misalignment of the ring's center towards the rotational axis, as can be seen on Fig. 4.

The error caused by eccentricity can be calculated by the following formula

$$E_{accuracy} = \pm 0.114 \frac{e}{D}$$

where $E_{accuracy}$ is eccentricity error in [°], e is misalignment of ring's center towards the rotational axis in [μ m] and D is the outer ring diameter in [μ m].





Fig. 4. Influence of installation eccentricity on accuracy.

Deformations of the ring during installation

By installing a ring to a non-ideally circular shaft, possible deformations can occur. These can have a significant influence on the system accuracy error.


Magnetic ring design

Structure



Appearance and markings

The position of the magnetised reference mark is always the same, on the inner side of the ring as shown in the figure below.



The shape of the reference mark may vary. The image is for representation purposes only.

Magnetic ring surface markings (printed or engraved)

Magnetic ring markings depend on ring size and design. They are either printed on the magnetic layer or engraved on the carrier/hub.

Ring		Serial number	erial number Reference mark		Part number
MR020C					
MR024C					
MR026C	ID12	~			
MR026C	ID16				
MR034C		~			
MR045C		~	~		
MR049N		~	~	✓	~
MR050C		~	~		
MR061C		~	~		
MR080N		~	~	✓	✓
MR100S		~	~	✓	~



Reference mark sign

YD1B70

Serial number example - unique combination of six letters and digits



Reference mark

Unique reference mark

The readhead must be ordered with reference mark option A (see corresponding readhead data sheet). The magnetic ring must be ordered with reference mark option A (see **Part numbering**).

The shape and position of the magnetised reference mark are critical so this option is only available as factory order.

Periodic reference mark

The readhead must be ordered with reference mark option C (see corresponding readhead data sheet). The magnetic ring must be ordered without reference mark option B (see **Part numbering**). The position information is output in incremental quadrature format with periodic reference pulses. The periodic reference pulses correspond to the magnetic pole length.

Installation instructions

Machine the mounting shaft according to the dimensions given in the table below:

Axial ring	Outer diam	eter - OD [mm]	Inner diame	Inner diameter - ID [mm] Installation (shaft) diameter Ds [mm]		
	10.5	+0.1	42117	+0.018	4257	-0.016
MR020C	19.5	-0.1	12H7	0	12f7	-0.034
1400246	24	+0.1	45117	+0.018	4557	-0.016
MR024C	24	-0.1	15H7	0	15f7	-0.034
MD0066 ID46	26	+0.1	4.6	+0.1	45.0	-0.05
MR026C ID16	26	-0.1	16	-0.1	15.9	-0.15
MD0266 ID42	26	+0.1	42	+0.018	4257	-0.016
MR026C ID12	26	-0.1	12	-0	12f7	-0.034
MD0246	24	+0.1	20 5117	+0.021	20.557	-0.02
MR034C	34	-0.1	20.5H7	0	20.5f7	-0.041
MDO456	45	+0.1	20 5117	+0.021	20.557	-0.02
MR045C	45	-0.1	28.5H7	0	28.5f7	-0.041
MPO40N	40	+0.1	25117	+0.021	2557	-0.02
MR049N	49	-0.1	25H7	0	2517	-0.041
MADOFOC	F0	+0.1	40	+0.02	30.0	+0.05
MR050C	50	-0.1	40	-0.02	39.9	0
MR061C	61.2	+0.1	E4 2117	+0.1	- F1.2 f7	-0.015
WROBIC	61.3	-0.1	51.3H7	-0.1	51.217	-0.025
MADOGONI	00	+0.1	FF.117	+0.030		-0.03
MR080N	80	-0.1	55H7	0	551/	-0.06
MADO400C	100	+0.1	71117	+0.030	7157	-0.03
MR0100S	100	-0.1	71H7	0	25f7 39.9 51.2 f7 55f7	-0.06

For improved accuracy (lower eccentricity error) clearance fit H7/g6 is recommended.


Recommended ride height table

Installation at the recommended ride height results in better encoder system performance, such as lower SDE and higher accuracy. Please refer to the table below for the recommended ride height values. The readheads are calibrated at these values. The maximum range of installation tolerances for the ride height is shown in the drawings of the individual rings and readheads.

Readhead	LM10	LM13	RLB	RLC2HD	RLC2IC	RLM
Recommended ride height [mm]	0.3	0.3	0.3	0.3	0.3	0.3

Mechanical details

When installing the readhead refer to the stainless steel carrier / hub, not the elasto-ferrite layer. This is particularly important for systems with reference mark which is always positioned on the inner edge of the ring.



Installation with adhesive tape

Axial rings are standardly equipped with a VHB back adhesive tape. Most substrates are best prepared by cleaning with a 50 : 50 mixture of isopropyl alcohol and water prior to applying to the magnetic ring.

Exceptions to the general procedure that may require additional surface preparation include:

- Heavy oils: A degreaser or solvent-based cleaner may be required to remove heavy oil or grease from a surface and should be followed by cleaning with IPA/water.
- Abrasion: Abrading a surface, followed by cleaning with IPA/water, can remove heavy dirt or oxidation and can increase surface area to improve adhesion.
- Adhesion promoters: Priming a surface can significantly improve initial and ultimate adhesion to many materials such as plastics and paints.
- Porous surfaces: Most porous and fibered materials such as wood, particleboard, concrete, etc. need to be sealed to provide a unified surface.
- Unique materials: Special surface preparation may be needed for glass and glass-like materials, copper and coppercontaining metals, and plastics or rubber that contain components that migrate (e.g. plasticizers).

For additional information refer to "Surface Preparation for 3M™ VHB™ Tape Applications".


Application

Good surface contact can be attained by applying enough pressure to ensure that the tape experiences approximately 100 kPa pressure. At room temperature approximately 50 % of ultimate bond strength will be achieved after 20 minutes, 90 % after 24 hours and 100 % after 72 hours. Dynamic overlap shear (Peak force to separate is measured after 72 hours dwelling): 830 kPa

Shelf life

All MR magnetic rings with back adhesive tape have 12 months shelf life and should be installed within this period.







Installation by gluing

Application


The surfaces to be stuck together must be cleaned very thoroughly before the adhesive is applied. It is worth first using abrasive cloth (abrasive rating 150-200) then degreasing using cellulose moistened with a grease solvent.

The adhesive should be applied to the parts to be stuck together as soon as possible after mixing, to ensure the best possible bond. The parts to be assembled usually need to be fixed under pressure. It is not necessary to apply extreme pressure.

At temperatures below room temperature, the hardening process takes somewhat longer. After the parts to be stuck together have been prepared, the adhesive is dosed. The adhesive should be very thoroughly mixed.

For more information see adhesive manufacturer's datasheet.






^{*} Dimensions according to adhesive specification.

Installation with fasteners


Application

Installation with fasteners is possible for rings MR049N, MR080N and MR100S. Make sure the installation surface is clean and free of debris. Rings need to be attached with fasteners as per the installation drawings (see appropriate ring page). Recommended tightening torque:

• fasteners M2.5 (DIN EN ISO 7046): 0.3 Nm







MR020C

Compatibility table

	LM10	LM13	LM15	RLB	RLC2HD	RLC2IC	RLM
26 poles, 2 mm width	-	-	-	No Ri	No Ri	No Ri	No Ri


No Ri - No reference mark option, only incremental track available

Technical features

Outer diameter	19.5 ± 0.1 mm
Inner diameter	12 H7
Height	2 ± 0.1 mm
Mass	2 g
System error	±0.31°
Maximum speed table	Refer to MR01D04

Moment of inertia	130 gmm²
Material of magnetic layer	СРЕ
Hub material	EN1.4016 / AISI 430
Hub thermal expansion	
coefficient (CTE)	10 × 10 ⁻⁶ K ⁻¹

SDE (typical measured value)










Dimensions and tolerances are in mm.


MR020C







RLC2HD







RLC2IC





RLM





A RENISHAW associate company

MR024C

Compatibility table

	LM10	LM13	LM15	RLB	RLC2HD	RLC2IC	RLM
32 poles, 2 mm width	-	-	-	No Ri	No Ri	No Ri	No Ri


No Ri - No reference mark option, only incremental track available $\,$

Technical features

Outer diameter	24 ± 0.1 mm
Inner diameter	15 H7
Height	2 ± 0.1 mm
Mass	3 g
System error	±0.25°
Maximum speed table	Refer to MR01D04

Moment of inertia	290 gmm²
Material of magnetic layer	СРЕ
Hub material	EN1.4016 / AISI 430
Hub thermal expansion	
coefficient (CTE)	10 × 10 ⁻⁶ K ⁻¹

SDE (typical measured value)










Dimensions and tolerances are in mm.

MR024C






RLC2IC



RLM

12

10



A RENISHAW associate company

MR026C ID12

Compatibility table

	LM10	LM13	LM15	RLB	RLC2HD	RLC2IC	RLM
36 poles, 2 mm width	No Ri	No Ri	-	No Ri	No Ri	No Ri	No Ri


No Ri - No reference mark option, only incremental track available

Technical features

Outer diameter	26 ± 0.1 mm
Inner diameter	12 ± 0.1 mm
Height	2 ± 0.1 mm
Mass	5 g
System error	±0.23°
Maximum speed table	Refer to MR01D04

450 gmm ²
СРЕ
EN1.4305 / AISI 303
10 × 10 ⁻⁶ K ⁻¹

SDE (typical measured value)










Dimensions and tolerances are in mm.

MR026C ID12




Ø 26 ±0.1






Ø 2<u>6 ±0.1</u>



A RENISHAW associate company

Dimensions and tolerances are in mm.

MR026C ID12





MR026C ID16

Compatibility table

	LM10	LM13	LM15	RLB	RLC2HD	RLC2IC	RLM
36 poles, 2 mm width	No Ri	No Ri	-	No Ri	No Ri	No Ri	No Ri


No Ri - No reference mark option, only incremental track available

Technical features

Outer diameter	26 ± 0.1 mm
Inner diameter	16 ± 0.1 mm
Height	2 ± 0.1 mm
Mass	4 g
System error	±0.23°
Maximum speed table	Refer to MR01D04

Moment of inertia	450 gmm ²
Material of magnetic layer	HNBR + ferrite
Hub material	EN1.4305 / AISI 303
Hub thermal expansion	
coefficient (CTE)	10 × 10 ⁻⁶ K ⁻¹

SDE (typical measured value)






Dimensions and tolerances are in mm.


 12.1 ± 0.2


MR026C ID16




Ø 16 ±0.05

Ø 26 ±0.1












Dimensions and tolerances are in mm.

MR026C ID16







MR034C

Compatibility table

	LM10	LM13	LM15	RLB	RLC2HD	RLC2IC	RLM
48 poles, 2 mm width	-	-	-	No Ri	No Ri	No Ri	No Ri


No Ri - No reference mark option, only incremental track available

Technical features

Outer diameter	34 ± 0.1 mm
Inner diameter	20.5 H7
Height	2 ±0.1 mm
Mass	6 g
System error	±0.17°
Maximum speed table	Refer to MR01D04

Moment of inertia	450 gmm ²			
Material of magnetic layer	СРЕ			
Hub material	EN1.4016 / AISI 430			
Hub thermal expansion				
coefficient (CTE)	10 × 10 ⁻⁶ K ⁻¹			

SDE (typical measured value)









Dimensions and tolerances are in mm.


MR034C








RLC2HD







MR034C

Dimensions and installation drawings

Dimensions and tolerances are in mm.







MR045C

Compatibility table

	LM10	LM13	LM15	RLB	RLC2HD	RLC2IC	RLM
64 poles, 2 mm width	No Ri	No Ri	-	No Ri	No Ri	Ri	Ri


No Ri - No reference mark option, only incremental track available


Technical features

Outer diameter	45 ± 0.1 mm
Inner diameter	28.5 H7
Height	2 ±0.1 mm
Mass	10 g
System error	±0.13°
Maximum speed table	Refer to MR01D04

Moment of inertia	450 gmm ²
Material of magnetic layer	CPE
Hub material	EN1.4016 / AISI 430
Hub thermal expansion coefficient (CTE)	10 × 10 ⁻⁶ K ⁻¹
cociniciciii (CTL)	10 0 10 10

SDE and crosstalk (typical measured value)










Dimensions and tolerances are in mm.


RLB





RLC2HD









Dimensions and tolerances are in mm.


MR045C


RLC2IC






RLM







Dimensions and tolerances are in mm.


MR045C







LM13





MR049N

Compatibility table

	LM10	LM13	LM15	RLB	RLC2HD	RLC2IC	RLM
72 poles, 2 mm width	No Ri	No Ri	-	No Ri	No Ri	Ri	Ri

Ri - Unique reference mark or only incremental track available

No Ri - No reference mark option, only incremental track available

Technical features


Outer diameter	49 ± 0.1 mm
Inner diameter	25 H7
Height	2 ±0.1 mm
Mass	13 g
System error	±0.11°
Maximum speed table	Refer to MR01D04

Moment of inertia	3.500 gmm ²
Material of magnetic layer	CPE
Hub material	EN1.4016 / AISI 430
Hub thermal expansion coefficient (CTE)	10 × 10 ⁻⁶ K ⁻¹

SDE and crosstalk (typical measured value)




Ride height [mm]





Dimensions and tolerances are in mm.


MR049N






Dimensions and tolerances are in mm.


MR049N




Dimensions and tolerances are in mm.

MR049N







LM13



MR050C

Compatibility table

	LM10	LM13	LM15	RLB	RLC2HD	RLC2IC	RLM
72 poles, 2 mm width	No Ri	No Ri	-	No Ri	No Ri	Ri	Ri

Ri - Unique reference mark or only incremental track available


No Ri - No reference mark option, only incremental track available


Technical features

Outer diameter	50 ± 0.1 mm
Inner diameter	40 ± 0.02 mm
Height	2 ±0.1 mm
Mass	8 g
System error	±0.11°
Maximum speed table	Refer to MR01D04

Moment of inertia	3.880 gmm ²
Material of magnetic layer	CPE
Hub material	EN 1.4305 / AISI 303
Hub thermal expansion	
coefficient (CTE)	10 × 10 ⁻⁶ K ⁻¹

SDE and crosstalk (typical measured value)










Dimensions and tolerances are in mm.


MR050C







RLC2HD







Dimensions and tolerances are in mm.


MR050C






RLM








Dimensions and tolerances are in mm.

MR050C





MR061C

Compatibility table

	LM10	LM13	LM15	RLB	RLC2HD	RLC2IC	RLM
92 poles, 2 mm width	No Ri	No Ri	-	No Ri	No Ri	Ri	Ri

Ri - Unique reference mark or only incremental track available

No Ri - No reference mark option, only incremental track available


Technical features

Outer diameter	61.3 ±0.1 mm
Inner diameter	51.3 H7 mm
Height	2 ±0.1 mm
Mass	10 g
System error	±0.09°
Maximum speed table	Refer to MR01D04

Moment of inertia	7.560 gmm ²
Material of magnetic layer	CPE
Hub material	EN 1.4016 / AISI 430
Hub thermal expansion	40 - 40 6 1/1
coefficient (CTE)	10 × 10 ⁻⁶ K ⁻¹

SDE and crosstalk (typical measured value)











Dimensions and tolerances are in mm.

MR061C













Dimensions and tolerances are in mm.


MR061C






RLM









Dimensions and tolerances are in mm.

MR061C







Compatibility table

	LM10	LM13	LM15	RLB	RLC2HD	RLC2IC	RLM
122 poles, 2 mm width	No Ri	No Ri	-	No Ri	No Ri	Ri	Ri

Ri - Unique reference mark or only incremental track available


No Ri - No reference mark option, only incremental track available

Technical features

Outer diameter	80 ±0.1 mm
Inner diameter	55 H7 mm
Height	2 ±0.1 mm
Mass	24 g
System error	±0.07°
Maximum speed table	Refer to MR01D04

Moment of inertia	32.700 gmm ²			
Material of magnetic layer	CPE			
Hub material	EN 1.4016 / AISI 430			
Hub thermal expansion				
coefficient (CTE)	10 × 10 ⁻⁶ K ⁻¹			

SDE and crosstalk (typical measured value)






MR080N

Dimensions and tolerances are in mm.

RLB






Dimensions and installation drawings

Dimensions and tolerances are in mm.


RLC2HD



Dimensions and installation drawings

Dimensions and tolerances are in mm.

RLC2IC







Dimensions and tolerances are in mm.

MR080N

RLM




Dimensions and tolerances are in mm.





Dimensions and tolerances are in mm.

MR080N



MR100S

Compatibility table

	LM10	LM13	LM15	RLB	RLC2HD	RLC2IC	RLM
152 poles, 2 mm width	No Ri	No Ri	-	No Ri	No Ri	Ri	Ri

Ri - Unique reference mark or only incremental track available


No Ri - No reference mark option, only incremental track available

Technical features

Outer diameter	100 ±0.1 mm			
Inner diameter	71 H7 mm			
Height	4 ±0.1 mm			
Mass	95 g			
System error	±0.05°			
Maximum speed table	Refer to MR01D04			

Moment of inertia	180.000 gmm²			
Material of magnetic layer	CPE			
Hub material	EN 1.4021 / AISI 420			
Hub thermal expansion coefficient (CTE)	11 × 10 ⁻⁶ K ⁻¹			
coemeiche (CTL)	11 10 10			

SDE and crosstalk (typical measured value)








Dimensions and tolerances are in mm.

MR100S


RLB



MR100S

Dimensions and tolerances are in mm.

RLC2HD






Dimensions and tolerances are in mm.

MR100S


RLC2IC




Ø 100 ±0.1

Dimensions and tolerances are in mm.

RLM









Dimensions and tolerances are in mm.

MR100S



MR100S

Dimensions and tolerances are in mm.





Part numbering

MR 034 C 020 В 048 Α 00 **Series** MR - Magnetic incremental ring **Outer diameter 020** - 20 mm **049** - 49 mm **024** - 24 mm **050** - 50 mm **026** - 26 mm **061** - 61 mm **080** - 80 mm **034** - 34 mm **045** - 45 mm **100** - 100 mm **Cross section** C - Height 2 mm, axial magnetisation N - Height 2 mm, axial magnetisation (installation with fasteners) **S** - Height 4 mm, axial magnetisation (installation with fasteners) **Inner diameter 012** - 12 mm 028 - 28 mm **015** - 15 mm **040** - 40 mm **016** - 16 mm **051** - 51 mm **020** - 20 mm **055** - 55 mm **025** - 25 mm **071** - 71 mm **Reference mark** A - With reference mark B - Without reference mark **Number of poles 026** - 26 poles **072** - 72 poles **032** - 32 poles **092** - 92 poles **036** - 36 poles **122** - 122 poles **048** - 48 poles **152** - 152 poles **064** - 64 poles Material A - Stainless steel hub with bonded rubber tape (-40 °C to +100 °C) **B** - Stainless steel hub with vulcanised elasto-ferrite layer (-40 °C to +160 °C)

Special requirements

- 00 No special requirements
- 02 With back adhesion tape

Not all part number combinations are valid. The inner diameter of rings is related to the outer diameter and cannot be randomly selected. Please refer to the table of available combinations on the next page.

Table of available combinations

Series	Outer diameter	Cross section	Inner diameter	Reference mark	Number of poles	Material	Special requirements
	020		012		026	A	
	024		015		032		
	026		016	В	036	В	00.402
	026	С	012		036		00 / 02
	034		020		048	A	
MR	045		028	A/B	064		
	049	N	025		072		00
	050	C	040				00 / 02
	061		051		092		
	080	N	055		122		00
	100	S	071		152		00

Accessories



Magnet viewer MM0001



Head office

RLS Merilna tehnika d.o.o.

Poslovna cona Žeje pri Komendi Pod vrbami 2 SI-1218 Komenda Slovenia T +386 1 5272100 F +386 1 5272129 E mail@rls.si

www.rls.si

Global support

Visit our website to contact your nearest sales representative.

This product is not designed or intended for use outside the environmental limitations and operating parameters expressly stated on the product's datasheet. Products are not designed or intended for use in medical, military, aerospace, automotive or oil & gas applications or any safety-critical applications where a failure of the product could cause severe environmental or property damage, personal injury or death. Any use in such applications must be specifically agreed to by seller in writing, and is subject to such additional terms as the seller may impose in its sole discretion. Use of products in such applications is at buyer's own risk, and buyer will indemnify and hold harmless seller and its affiliates against any liability, loss, damage or expense arising from such use. Information contained in this datasheet was derived from product testing under controlled laboratory conditions and data reported thereon is subject to the stated tolerances and variations, or if none are stated, then to tolerances and variations consistent with usual trade practices and testing methods. The product's performance outside of laboratory conditions, including when one or more operating parameters is at its maximum range, may not conform to the product's datasheet. Further, information in the product's datasheet does not reflect the performance of the product in any application, end-use or operating environment buyer or its customer may put the product to. Seller and its affiliates make no recommendation, warranty or representation as to the suitability of the product for buyer's application, use, end-product, process or combination with any other product or as to any results buyer or its customer might obtain in their use of the product. Buyer should use its own knowledge, judgment, expertise and testing in selecting the product for buyer's application, end-use and/or operating environment, and should not rely on any oral or written statement, representation, or samples made by seller or its affiliates for any purpose. EXCEPT FOR THE WARRANTIES EXPRESSLY SET FORTH IN THE SELLER'S TERMS AND CONDITIONS OF SALE, SELLER MAKES NO WARRANTY EXPRESS OR IMPLIED WITH RESPECT TO THE PRODUCT, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE, WHICH ARE DISCLAIMED AND EXCLUDED. All sales are subject to seller's exclusive terms and conditions of sale which, where the seller is (a) RLS Merilna tehnika d.o.o., are available at https://www.rls.si/eng/salesterms, (b) Renishaw, Inc., are available at https://www.rls.si/eng/salesterms, (c) Renishaw, www.renishaw.com/legal/en/--42186, or (c) another person, are available on request, and in each case, are incorporated herein by reference, and are the exclusive terms of sale. No other terms and conditions apply. Buyer is not authorized to make any statements or representations that expand upon or extend the environmental limitations and operating parameters of the products, or which imply permitted usage outside of that expressly stated on the datasheet or agreed to in writing by seller.

RLS Merilna tehnika d.o.o. has made considerable effort to ensure the content of this document is correct at the date of publication but makes no warranties or representations regarding the content. RLS Merilna tehnika d.o.o. excludes liability, howsoever arising, for any inaccuracies in this document.